

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Edward F. Helinski

Serial No.: 09/113,712

Filed: July 10, 1998

For: CONCENTRIC ALIGNMENT AND DEVICE FOR DIES AND DIE STRIPPER



Atty Docket: 0135/00251

Art Unit: 3724

Examiner: C. Dexter

*6/ Reg. for
Recon.
Esmerick
9/15/99*

RESPONSE

Assistant Commissioner for Patents
Washington, DC 20231

RECEIVED

SEP 10 1999

Group 3700

Sir:

This is in response to the Communication issued August 30, 1999.

In the communication, the Examiner states that the sheet of proposed drawing corrections referred to in the response filed June 15, 1999, was not received. Applicant submits herewith a copy of the Request to Approve Proposed Drawing Changes and the sheet of proposed drawing corrections along with a copy of a postcard data stamped by the mailroom at the U.S. Patent and Trademark Office indicating that Applicant submitted the proposed drawing corrections and request to approve the proposed drawing corrections on June 15, 1999.

In the event that the Examiner believes an interview would serve to facilitate the prosecution of this application,


Applicant respectfully urges the Examiner to contact the undersigned at the telephone number listed below.

The undersigned hereby authorizes the Commissioner to charge any insufficient fees or credit any overpayment associated with this communication to deposit account no. 22-0185.

Respectfully submitted,

Date:

9-8-99



Eric J. Franklin, Reg. No. 37,134
Attorney for Applicant
Pollock, Vande Sande & Amernick
1990 M Street, N.W.
Washington, DC 20036-3425
Telephone: 202-331-7111
Facsimile: 202-293-6229